

## Message

**From:** Murphy, Elizabeth [Murphy.Elizabeth@epa.gov]  
**Sent:** 8/19/2020 7:08:14 PM  
**To:** Bauer, Candice [bauer.candice@epa.gov]  
**CC:** Balasa, Kate [balasa.kate@epa.gov]; Bair, Rita [bair.rita@epa.gov]; Poy, Thomas [poy.thomas@epa.gov]  
**Subject:** RE: Centreville Control Correspondence - due August 25th  
**Attachments:** East St. Louis Briefing for MH\_202008010.docx

I used information provided by Tom to prepare a briefing for my Director. Thank you for the assistance.

Thanks

Elizabeth W. Murphy, MPH  
 Chief, Section 3  
 Water Enforcement & Compliance Assurance Branch  
 US Environmental Protection Agency  
 77 W. Jackson Blvd.  
 Mail Code ECW-15J  
 Chicago, IL 60604-3590  
[Murphy.Elizabeth@epa.gov](mailto:Murphy.Elizabeth@epa.gov)  
 phone: (312) 353-4227  
 1-800-621-8431 x 34227  
 fax: (312) 980-8745

---

**From:** Bauer, Candice <bauer.candice@epa.gov>  
**Sent:** Wednesday, August 19, 2020 1:57 PM  
**To:** Murphy, Elizabeth <Murphy.Elizabeth@epa.gov>  
**Cc:** Balasa, Kate <balasa.kate@epa.gov>; Bair, Rita <bair.rita@epa.gov>; Poy, Thomas <poy.thomas@epa.gov>  
**Subject:** FW: Centreville Control Correspondence - due August 25th

Beth- I believe you asked us to let you know what we were saying in the Centerville response and any more program information we could add. We are indicating that IEPA is the primacy agency in the letter(link below),

Ex. 5 - Deliberative Process

### Ex. 5 - Deliberative Process

Rita- Please provide Beth with more information on any interaction we have had with IEPA and a POC for our program or let us know if Tom was lead on this (he is out this week).

THanks.  
 Candice

---

**From:** Bair, Rita <bair.rita@epa.gov>  
**Sent:** Monday, August 17, 2020 2:31 PM  
**To:** Schaller, Andrea <schaller.andrea@epa.gov>  
**Cc:** Bauer, Candice <bauer.candice@epa.gov>; Rosenberg, Kathryn <Rosenberg.Kathryn@epa.gov>; Unger, LouAnn <unger.louann@epa.gov>  
**Subject:** RE: Centreville Control Correspondence - due August 25th

My suggested additions have been added to the file based on what we received from IEPA. Let me know if you need anything else.

**From:** Schaller, Andrea <schaller.andrea@epa.gov>

**Sent:** Friday, August 14, 2020 2:21 PM

**To:** Bair, Rita <bair.rita@epa.gov>

**Cc:** Bauer, Candice <bauer.candice@epa.gov>; Rosenberg, Kathryn <Rosenberg.Kathryn@epa.gov>; Unger, LouAnn <unger.louann@epa.gov>

**Subject:** FW: Centreville Control Correspondence - due August 25th

Rita

Can you take a look at the WD draft response and see if we can add more on drinking water based on Tera's observations below.

[https://usepa-my.sharepoint.com/:w/g/personal/rosenberg\\_kathryn\\_epa\\_gov/EXH2-kmdH95DI2F-5S-gAmkBBYsF2NiNetbt82x\\_8zhuMw?e=5Rb3hh](https://usepa-my.sharepoint.com/:w/g/personal/rosenberg_kathryn_epa_gov/EXH2-kmdH95DI2F-5S-gAmkBBYsF2NiNetbt82x_8zhuMw?e=5Rb3hh)

Andrea

**From:** Schaller, Andrea

**Sent:** Friday, August 14, 2020 2:18 PM

**To:** Fong, Tera <Fong.Tera@epa.gov>; Rosenberg, Kathryn <Rosenberg.Kathryn@epa.gov>; Baltazar, Debbie <baltazar.debbie@epa.gov>

**Cc:** Jann, Stephen <jann.stephen@epa.gov>; Unger, LouAnn <unger.louann@epa.gov>

**Subject:** RE: Centreville Control Correspondence - due August 25th

Thanks Tera

GWDW did provide information that the matter was referred to ILEPA. Will share your feedback with Rita to see if there are additional points but some of the issues may fall under WECAB's response.

Andrea

**From:** Fong, Tera <Fong.Tera@epa.gov>

**Sent:** Friday, August 14, 2020 2:12 PM

**To:** Rosenberg, Kathryn <Rosenberg.Kathryn@epa.gov>; Baltazar, Debbie <baltazar.debbie@epa.gov>

**Cc:** Schaller, Andrea <schaller.andrea@epa.gov>; Jann, Stephen <jann.stephen@epa.gov>; Unger, LouAnn <unger.louann@epa.gov>

**Subject:** RE: Centreville Control Correspondence - due August 25th

Thanks very much. A couple edits included.

## Ex. 5 - Deliberative Process

Thanks very much for your help in putting these pieces together! When we're good with the letter from the WD end, I'll share back with TMPO and ECAD.

---

**From:** Rosenberg, Kathryn <[Rosenberg.Kathryn@epa.gov](mailto:Rosenberg.Kathryn@epa.gov)>  
**Sent:** Friday, August 14, 2020 12:34 PM  
**To:** Fong, Tera <[Fong.Tera@epa.gov](mailto:Fong.Tera@epa.gov)>; Baltazar, Debbie <[baltazar.debbie@epa.gov](mailto:baltazar.debbie@epa.gov)>  
**Cc:** Schaller, Andrea <[schaller.andrea@epa.gov](mailto:schaller.andrea@epa.gov)>; Jann, Stephen <[jann.stephen@epa.gov](mailto:jann.stephen@epa.gov)>; Unger, LouAnn <[unger.louann@epa.gov](mailto:unger.louann@epa.gov)>  
**Subject:** Centreville Control Correspondence - due August 25th

Please follow the link below to the draft response and accompanying documents for the Centreville Control, due August 25<sup>th</sup>.

[Centreville Control \(R5-20-000-6192-C\) DRAFT](#)

Thank you,

Katie Rosenberg  
Permits Branch | USEPA-Region 5  
77 W. Jackson Blvd, WP-16J  
Chicago, IL 60604  
[rosenberg.kathryn@epa.gov](mailto:rosenberg.kathryn@epa.gov) | 312-886-6774